

kuraray

Trosifol®

SentryGlas®

Laminated Glass News



October 2024

Advanced Interlayer Solutions Division
**Introducing Kuraray's
"Low-Carbon-Footprint Interlayers"
Trosifol® R3 with up to 90% carbon emissions
reduction**

Kuraray Advanced Interlayer Solutions (AIS) Division has launched Trosifol® R3, a new line of sustainable interlayer products that forms part of a wider and sustainable up- and downstream value chain, which includes products made from recycled materials, clean-energy fabrication practices, more efficient fabrication processes

Every Trosifol® R3 interlayer is or will be ISO-certified, which includes detailed environmental product declarations*. Best of all, you get the mechanical properties that have made Trosifol® the most trusted name in PVB interlayers for over 60 years. Welcome to sustainable, durable, and customizable glass lamination from Trosifol® R3.

• Trosifol® R3 offers up to a 90%

R3 **use duce cycle**



carbon emissions reduction*.

- The performance and quality you expect, minus the emissions.
- Built on a foundation of Kuraray's global commitment to sustainability.

*compared to a standard PVB clear interlayer



Photo: © AdobeStock_748046884.jpeg

[Please click here to see our sustainability video.](#)

[Please find here our brochure.](#)



This email was sent by:

Kuraray Europe GmbH (Philipp-Reis-Str. 4, 65795
Hattersheim, Germany) on behalf of Kuraray Co. Ltd.,
Japan.

This email was sent to:

Kuraray: [One-Click Unsubscribe](#)

Copyright © 2023 Kuraray. All rights reserved.

Trosifol, Butacite, SentryGlas, SG, SentryGlas Xtra, SGX, SentryGlas Acoustic, SGA and Spallshield are trademarks or registered trademarks of Kuraray Co., Ltd. or its affiliates. Trademarks may not be applied for or registered in all countries. The information, recommendations and details given in this document have been compiled with care and to our best knowledge and belief. They do not entail an assurance of properties above and beyond the product specification. Final determination of suitability of any material or process and whether there is any infringement of patents is the sole responsibility of the user.